

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	144	Keech.in.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/19 16:03
S2	10	Keech adj Winston.in.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/19 17:15
S14	177	726/21.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/19 17:27
S15	366	726/22.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/19 17:29
S16	399	encrypt\$3 same data same transmission same authentication and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/19 17:31
S17	3	encrypt\$3 same data adj files same transmission same authentication and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/19 17:32
S18	648	encrypt\$3 same transmission same authentication and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/19 17:47
S19	366	secure same transmission same authentication and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 10:45
S28	434	electronic with transmission same control\$3 same third and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 10:46
S29	1	electronic with transmission with control\$3 with third adj party and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 10:49
S30	1	electronic with transmission same (control\$3 or manage) with third adj party and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 10:50
S31	6	electronic with (transmission transfer\$3) same (control\$3 or manage) with third adj party and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 10:51
S32	129	secure with (transmission transfer\$3) and (control\$3 or manage) with third adj party and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 11:01
S33	0	726/27-30 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 11:02
S34	270	726/27-30.ccls. and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 11:03

S35	51	S34 and third adj party	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 11:12
S36	100	S34 and CA	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 11:12
S37	34	S34 and CA and identity	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 11:15
S38	5	S34 and certification adj authority and identity	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 11:15
S39	5	S34 and certification adj authority and identity	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 11:16
S40	14	"6237096"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:01
S41	988	Authentication adj Center	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:01
S42	430	Authentication adj Center and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:02
S43	240	S42 and link	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:04
S44	119	S42 and link and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:45
S45	1320	713/155-159.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:45
S46	702	713/155-159.ccls. and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:46
S47	589	S46 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:46
S48	521	S46 and authenticat\$3 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:47
S49	45	S46 and authenticat\$3 and encrypt\$3 and electronic with transmission	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/20 12:47
S50	2	"6912285"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 14:54

S51	15807	encrypt\$3 same (message data document file packet) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 14:56
S52	13466	encrypt\$3 with (message data document file packet) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 14:56
S53	1677	encrypt\$3 with (message data document file packet) and control with (third adj party or server) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 15:05
S54	549	S53 and request\$3 with key	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 14:59
S55	323	S53 and request\$3 with identification	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 15:00
S56	778	encrypt\$3 adj (message data document file packet) and control with (third adj party or server) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 15:06
S57	6020	encrypt\$3 adj (message data document file packet) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 15:28
S58	118	S57 and communication adj link with (server third adj party)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 15:11
S62	622	S57 and verify same (server third adj party)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 15:09
S63	1044	S57 and access adj control	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 15:12
S64	48	S57 and 726/4.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 15:13
S65	345	(encrypt\$3 wrapped) adj (message data document file packet) and key adj (escrow server) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 16:06
S68	364	(encrypt\$3 wrapped) adj (message data document file packet) and key adj (repository escrow server) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 16:07
S69	248	S68 and electronic	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 16:08
S70	2	S68 and electronic adj transmission	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 16:08

S71	53	S68 and user adj identification	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/20 16:08
S72	58	(authorization authenticat\$3) adj server with (send\$3 transmitt\$3 transceiver) and receiver\$1 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 14:02
S73	231	(authorization authenticat\$3 server) adj server with (send\$3 transmitt\$3 transceiver) and receiver\$1 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 13:19
S74	59	(authorization authenticat\$3 verification) adj server with (send\$3 transmitt\$3 transceiver) and receiver\$1 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 14:09
S75	1039	(authorization authenticat\$3 verification) adj server and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 14:09
S76	652	(authorization authenticat\$3 verification) adj server and database and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 14:09
S77	454	(authorization authenticat\$3 verification) adj server and database and link and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 14:10
S78	329	(authorization authenticat\$3 verification) adj server and database and link and (encrypt\$3 encipher\$1 encode scramble) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:10
S79	182	(authorization authenticat\$3 verification) adj server and database and link and (encrypt\$3 encipher\$1 encode scramble) and (sender transmitter) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 14:42
S80	151	(authorization authenticat\$3 verification) adj server and database and (encrypt\$3 encipher\$1 encode scramble) and (sender transmitter) and receiver and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 14:43
S81	440	(authorization authenticat\$3 verification) adj server and database and (encrypt\$3 encipher\$1 encode scramble) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 14:57

S82	122	(authorization authenticat\$3 verification) adj server and database and (encrypt\$3 encipher\$1 encode scramble) and user adj identification and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:08
S83	3	(authorization authenticat\$3 verification) adj server with sender and receiver and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:08
S84	14	(authorization authenticat\$3 verification) adj server and database and (encrypt\$3 encipher\$1 encode scramble) adj (packet datagram message file) with receiver and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:15
S85	19	(authorization authenticat\$3 verification) adj server and (encrypt\$3 encipher\$1 encode scramble) adj (packet datagram message data file) with receiver and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:19
S86	399	455/410.ccls. and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:21
S87	2	S86 and (authorization authentication verification) adj server	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:20
S88	718	455/411.ccls. and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:21
S89	4	S88 and (authorization authentication verification) adj server	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:22
S90	174	726/2.ccls. and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:27
S91	16	S90 and (authorization authentication verification) adj server	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:22
S92	207	726/4.ccls. and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:27
S93	25	S92 and (authorization authentication verification) adj server	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:27
S94	25	(key and authorization) adj server	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 15:59

S95	10	(key and authorization) adj server and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 16:27
S96	3	key adj authorization and authorization adj server and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 16:27
S97	10	key adj server and authorization adj server and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 16:32
S98	17	verify\$3 with identity and authorization adj server and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/21 16:32
S99	24	(US-20020002678-\$ or US-20020188706-\$).did. or (US-5491752-\$ or US-5495533-\$ or US-5748735-\$ or US-5748738-\$ or US-5864667-\$ or US-6009173-\$ or US-6097817-\$ or US-6160988-\$ or US-6175922-\$ or US-6237096-\$ or US-6240187-\$ or US-6339830-\$ or US-6367013-\$ or US-6393567-\$ or US-6434700-\$ or US-6502192-\$ or US-6615349-\$ or US-6625734-\$ or US-6684336-\$ or US-6745327-\$ or US-6760416-\$ or US-6839842-\$). did.	US-PGPUB; USPAT	OR	OFF	2005/09/22 11:00
S10 0	23	S99 and encrypt\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:01
S10 1	0	S99 and encrypt\$3 and escrow	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:01
S10 2	5	encrypt\$3 adj (document\$1 packet\$1 file\$1 message) with receiver same key same escrow	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:05
S10 3	137	identity same key same (escrow key adj server)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:06
S10 4	13	"6289450"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:10
S10 5	213	request\$3 with decrypt\$3 adj key same server	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:11
S10 6	69	request\$3 with decrypt\$3 adj key same (server escrow) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:15
S10 7	14	request\$3 with decrypt\$3 adj key same (key adj (server escrow)) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:47

S10 8	1	"6807277"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:47
S10 9	1997	key adj (repository server escrow)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:47
S11 0	633	key adj (repository server escrow) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:48
S11 1	211	key adj (repository server escrow) and receiver and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:48
S11 2	198	key adj (repository server escrow) and receiver and encrypt\$3 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:48
S11 3	108	key adj (repository server escrow) and receiver and encrypt\$3 and link and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:49
S11 4	90	key adj (repository server escrow) and receiver and encrypt\$3 and link and identification and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 11:58
S11 5	529	encrypt\$3 adj (document\$1 message data packet) and user adj identification and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 12:12
S11 6	64	sender same encrypt\$3 adj (document\$1 message data packet) and user adj identification and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 12:13
S11 7	13	"6289450"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 12:33
S11 8	2	(mask adj code or pin) with random adj string and identity and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 13:57
S11 9	4	(mask adj code or pin) with random adj string and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 13:57
S12 0	673	challenge adj response and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 13:58
S12 1	213	challenge adj response and pin and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 13:58
S12 2	199	challenge adj response and pin and identification and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 13:59

S12 3	0	challenge adj "and" adj response and pin and identification and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:00
S12 4	673	challenge adj response and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:00
S12 5	3	identify with user same challenge adj response and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:01
S12 6	213	challenge adj response and pin and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:01
S12 7	213	challenge adj response and (pin mask adj code) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:02
S12 8	103	challenge adj response and (pin mask adj code) and string and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:02
S12 9	4	challenge adj response and (pin mask adj code) and random adj string and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:08
S13 0	26	(secret adj code pin mask adj code) and random adj string and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:12
S13 1	144	keech.in.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:24
S13 2	2	"09663281"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:16
S13 3	2	"6201871"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:54
S13 4	4127	(mask\$3) with (pseudo or random)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:55
S13 5	71	S134 same(id adj code password pin passph\$5 authentication)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 14:56
S13 6	43	S135 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 16:59
S13 7	0	active adj display same correspond\$3 same input same highlight\$1 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:00
S13 8	0	active adj display same correspond\$3 same input and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:00

S13 9	2	display adj unit same correspond\$3 same input and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:01
S14 0	2	display adj device same correspond\$3 same input and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:02
S14 1	116188	user same input and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:02
S14 2	83869	user with input and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:02
S14 3	9032	user with input same display same screen and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:03
S14 4	7923	user with input same display with screen and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:03
S14 5	649	user with input same display with screen and highlight and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:03
S14 6	44	user with input same display with screen same highlight and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:04
S14 7	20	user with input same display with screen same highlight and correspond and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:07
S14 8	5	input with device same display with select\$3 with screen same highlight and correspond and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:08
S14 9	125	display with screen with highlight and correspond and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:10
S15 0	3	display with screen with highlight with input and correspond and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:11
S15 1	2	active with display with screen with highlight and correspond and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:27
S15 2	18	"5724423"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:45
S15 3	40	"5668876"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/22 17:45
S15 4	2774	(password pin user adj id code key) with (input entry) with display with screen and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:00

S15 5	1693	(password pin user adj id code key) with (input entry) with display adj5 screen and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:00
S15 6	736	(password pin user adj id code key) with (input entry) with display adj5 screen and correspond\$3 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:01
S15 7	27	(password pin user adj id code key) with (input entry) with display adj5 screen and correspond\$3 and authentication and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:09
S15 8	41	(password pin user adj id code key) with (input entry) with display adj5 screen and authentication and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:15
S15 9	14	secure adj (password pin user adj id code key) with (input entry) and authentication and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:24
S16 0	2	secure adj (password pin user adj id code key) with (input entry) and correspond\$3 with signal and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:24
S16 1	9	"secure personal identification number" and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:27
S16 2	23	secure adj (key password pin) adj (entry or input) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:56
S16 3	23537	(identification key password pin) adj (entry or input) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:56
S16 4	22720	(personal adj identification key password pin) adj (entry or input) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:57
S16 5	22720	((personal adj identification) key password pin) adj (entry or input) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 10:57
S16 6	55	((personal adj identification) key password pin) adj (entry or input) with one with entry with time and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 11:02
S16 7	585373	secure ((personal adj identification) key password pin) adj (entry or inpput) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 11:03
S16 8	10	secure adj ((personal adj identification) key password pin) adj (entry or inpput) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 11:05

S16 9	2	((personal adj identification) key password pin) adj (entry or inpput) with highlight and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 11:06
S17 0	0	signal with correspond\$3 with ((personal adj identification) key password pin) adj (entry or inpput) with highlight and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 11:06
S17 1	4	signal with correspond\$3 with ((personal adj identification) key password pin) adj (entry or inpput) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 11:08
S17 2	460	one with ((personal adj identification) key password pin) adj (entry or inpput) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 11:08
S18 0	0	"authentication system for mobile communication system"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 13:41
S18 1	21699	base adj station and mobile adj station	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 13:42
S18 2	116	base adj station and mobile adj station and authentication adj system	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 13:42
S18 5	236	control\$3 adj access with secure\$1 with system	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 15:48
S18 6	84	control\$3 adj access with secure\$1 with system and download\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 15:48
S18 7	39	control\$3 adj access with secure\$1 with system and download\$3 and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:12
S18 8	1457	wireless adj communication adj device and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:12
S18 9	273	wireless adj communication adj device and telephone adj number and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:13
S19 0	80	wireless adj communication adj device and telephone adj number and random and identification and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:25
S19 1	1	wireless adj communication adj device and telephone adj number and random adj string and identification and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:29

S19 2	97	726/27.ccls. and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:30
S19 3	4	726/27.ccls. and communication adj device and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:31
S19 4	3	726/28.ccls. and communication adj device and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:32
S19 5	3	726/34.ccls. and communication adj device and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 17:33
S19 6	2	726/35.ccls. and communication adj device and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/09/23 18:28